

# Zika Testing

## Patient History Form

Name: \_\_\_\_\_  
Last First M.I.

Sex:  Female  Male

### Clinical Indications for Testing

Pregnant  Yes  No  
Relevant Zika virus Exposure  Yes  No  
Symptoms consistent with Zika virus  Yes  No

The Centers for Disease Control and Prevention (CDC) updates guidance for testing as additional testing data becomes available. Please visit the CDC website and your local Department of State Health Services for the most current information regarding symptoms, testing and treatment.

Clinical Pathology Laboratories (CPL) offers testing for:

- Zika Virus by PCR Serum and Urine
- Zika Virus Antibody, IgM.
  - The tests have not been FDA cleared or approved.
  - The tests have been authorized by FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories.
  - The tests have been authorized only for the detection of RNA from Zika virus and diagnosis of Zika virus infection, and not for any other viruses or pathogen.
  - The tests are only authorized for the duration of the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of Zika virus and/or diagnosis of Zika virus infection under section 564(b)(1) of the Act, 21 U.S.C. § 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner
  - Authorized fact sheets for Healthcare Providers, Patients and Pregnant Women can be found on the CPL website.

CDC <https://www.cdc.gov/zika/>

CPL <http://www.cpllabs.com>